## 460930-01\_ST25 SEQUENCE LISTING

```
<110> MPA Technologies, Inc.
       Charles, Spangler W.
       Aleksander , Rebane
<120> Multifunctional Photodynamic Agents For Treating Of Disease
<130> A-72170-1
<140> US 10/805,683
<141> 2004-03-10
<150> US 60/453,618
<151> 2003-03-10
<160> 20
<170> PatentIn version 3.4
<210> 1
<211> 14
<212> PRT
<213> Artificial
<220>
<223> Synthetic Peptide (Somatostatin 14)
<220>
<221> DISULFID
<222> (3)..(14)
<400> 1
Ala Gly Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys
<210> 2
<211> 8
<212> PRT
<213> Artificial
<220>
<223> Synthetic Peptide (Octreotate)
<220>
<221> MOD_RES
<222> (1)..(1)
<223> D isomer
<220>
<221> DISULFID
<222> (2)..(7)
```

<220> <221> MOD RES

```
460930-01 ST25
<222> (4)..(4)
<223> D isomer
<300>
<301> Becker, A., Hessenius, C., Licha, K., et al.
<302> Receptor-targeted Optical Imaging of Tumors with Newar-infrared
       Fluorescent Ligands
<303> Nature Biotech.
<304> 19
<305> 4
<306> 327-31
<307> 2001
<400> 2
Phe Cys Phe Trp Lys Thr Cys Thr
<210> 3
<211> 8
<212> PRT
<213> Artificial
<220>
<223> Synthetic Peptide (M2M7 Octreotate)
<220>
<221> MOD_RES
<222> (1)..(1)
<223> D isomer
<220>
<221> MOD_RES
<222> (4) ... (4)
<223> D isomer
<400> 3
Phe Met Phe Trp Lys Thr Met Thr
<210> 4
<211> 6
<212> PRT
```

<220>

<223> Synthetic Peptide

<213> Artificial

<220> <221> MISC FEATURE

<222> (1)..(1) <223> Xaa=t-butoxycarbonyl (BOC)

<220>

```
460930-01_ST25
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa=aminomethylcoumarin (AMC)
<400> 4
Xaa Ala Gly Pro Arg Xaa
<210> 5
<211> 7
<212> PRT
<213> Artificial
<220>
<223> Synthetic Peptide
<300>
<301> Netzel-Arnett, S., et al.
<303> Biochem.
<304> 32
<306> 6427-6432
<307> 1993
<400> 5
Pro Met Ala Leu Trp Met Arg
<210> 6
<211> 4
<212> PRT
<213> Artificial
<220>
<223> Synthetic Peptide
<400> 6
Leu Trp Met Arg
<210> 7
<211> 8
<212> PRT
<213> Artificial
<220>
<223> Synthetic Peptide
<221> MOD RES
<222> (1)..(1)
<223> Xaa= (7-methoxycoumarin-4-yl)-acetyl (or Mca)
```

```
460930-01 ST25
<220>
<221> MOD RES
<222> (6)..(6)
<223> Xaa= [-3-(2,4-dinitrophenyl)-L- 2,3 diaminopropionyl] (or Dpa)
<220>
<221> MOD RES
<222> (8)..(8)
<223> AMIDATION
<400> 7
Xaa Pro Leu Gly Leu Xaa Ala Arg
<210> 8
<211> 8
<212> PRT
<213> Artificial
<220>
<223> Synthetic Peptide
<220>
<221> MOD RES
<222> (1)..(1)
<223> Xaa=2,4-dinitrophenyl group (or DNP)
<220>
<221> MOD RES
<222> (8)..(8)
<223> AMIDATION
<400> 8
Xaa Pro Leu Gly Ile Ala Gly Arg
<210> 9
<211> 8
<212> PRT
<213> Artificial
<220>
<223> Synthetic Peptide
<220>
<221> MOD RES
<222> (1)..(1)
<223> Xaa= (7-methoxycoumarin-4-yl)-acetyl (or Mca)
```

<220> <221> MOD RES

## 460930-01\_ST25

```
<220>
<221> MOD RES
<222> (8)..(8)
<223> AMIDATION
<400> 9
Xaa Pro Leu Gly Pro Xaa Ala Arg
<210> 10
<211> 13
<212> PRT
<213> Artificial
<220>
<223> Synthetic Peptide
<220>
<221> MOD RES
<222> (1)..(1)
<223> Xaa= (7-methoxycoumarin-4-yl)-acetyl (or Mca)
<220>
<221> MOD_RES
<222> (8)..(8)
<223> Xaa=[-3-(2,4-dinitrophenyl)-L- 2,3 diaminopropionyl] (or Dpa)
<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION
<400> 10
Xaa Pro Leu Ala Gln Ala Val Xaa Arg Ser Ser Ser Arg
<210> 11
<211> 8
<212> PRT
<213> Artificial
<220>
<223> Synthetic Peptide
<400> 11
Gly Pro Leu Gly Leu Arg Ser Trp
<210> 12
<211> 8
<212> PRT
```

```
<213> Artificial
<220>
<223> Synthetic Peptide
<400> 12
Gly Pro Leu Pro Leu Arg Ser Trp
<210> 13
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic Peptide
<300>
<301> van Hinsbergh, et al.
<303> Annals of Oncology
<304> 4
<306> 60
<307> 1999
<400> 13
Gly Arg Gly Asp Ser
<210> 14
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic Peptide
<300>
<301> van Hinsbergh, et al.
<303> Annals of Oncology
<304> 4
<306> 60
<307> 1999
<400> 14
Tyr Ile Gly Ser Arg
<210> 15
<211> 6
<212> PRT
<213> Artificial
```

<220>

```
<223> Synthetic Peptide
 <300>
<301> van Hinsbergh, et al.
 <303> Annals of Oncology
<304> 4
 <306> 60
<307> 1999
<400> 15
Ser Ile Lys Val Ala Val
<210> 16
<211> 7
<212> PRT
<213> Artificial
<220>
<223> Synthetic Peptide
<220>
<221> SIGNAL
<222> (1)..(7)
<223> nuclear localization signal of SV40 (monkey virus) large T
       Antigen
<300>
<301> Kalderon, et al,
<302> A short amino acid sequence able to specify nuclear location
<303> Cell
<304> 39
<305> 3 Pt 2
<306> 499-509
<307> 1984-12
<400> 16
Pro Lys Lys Arg Lys Val
<210> 17
<211> 6
<212> PRT
<213> Artificial
<220>
<223> Synthetic Peptide
<220>
<221> SIGNAL
<222>
      (1)..(6)
<223> human retinoic acid receptor-1 nuclear localization signal
```

<400> 19

Glu Glu Lys Arg Lys Arg Thr Tyr Glu

Page 8

## 460930-01\_ST25

```
<210> 20
<211> 20
<212> PRT
<213> Artificial
<220>
<223> Synthetic Peptide
<220>
<221> SIGNAL
<222> (1)..(20)
<223> double basic nuclear localization signal in nucleoplasmin
<300>
<301> Dingwall, et al.
<303> Celí
<304> 30
<306> 449-458
<307> 1982
<300>
<301> Dingwall, et al.
<303> J. Cell Biol.
<304> 107
<306> 641-849
<307> 1988
<400> 20
Ala Val Lys Arg Pro Ala Ala Thr Lys Lys Ala Gly Gln Ala Lys Lys
Lys Lys Leu Asp
```